

HUMAN RESOURCES FOR TREATING NEW CANCER CASES IN LIBERIA

Executive Summary

The purpose of this report is to describe the human resources needed in Liberia to treat new cancer patients.

The population of Liberia is approximately 3.8 million (1.89 million men and 1.91 million women) and the estimated number of new cancer cases in Liberia for the year 2008, based on Globocan data for Liberia as a whole (<http://globocan.iarc.fr/>) was 2148 (827 in men and 1321 in women) (Table A). The five most common cancers in Liberia are (1) gynecological (cervix uteri, corpus uteri and ovary), (2) liver, (3) urological (bladder, kidney, prostate and testis), (4) breast and (5) hematological malignancies (Hodgkin lymphoma, non-Hodgkin lymphoma, multiple myeloma, leukemia).

Table A: The five most frequently occurring cancers in Liberia for men and women based on 2008 Globocan data (<http://globocan.iarc.fr/>).

Cancer	Both	Rank	Men	Rank	Women	Rank
All cancers excl. non-melanoma skin cancer	2148		827		1321	
Gynecological	552	1			552	1
Liver	325	2	203	2	122	3
Urological	249	3	230	1	19	8
Breast	232	4			232	2
Hematological Malignancies	151	5	78	3	73	4
Stomach	101	6	51	5	50	5
Head and Neck	93	7	47	6	46	6
Lung	76	8	58	4	18	9

Newly diagnosed cancer patients need pathology, surgery, chemotherapy and/or radiation therapy. The number of oncologists needed is based, therefore, on the number of patients requiring pathology, surgery, chemotherapy and radiation therapy (Table B). This number is estimated from the percentage of patients requiring surgery, chemotherapy and/or radiation therapy for the top ten cancers in both men and women. For developing countries the International Atomic Energy Agency (IAEA) recommends training radiation/clinical oncologists who can prescribe both radiation and chemotherapy for the common solid cancers, instead of separate medical and radiation oncologists. Hematological malignancies are treated primarily by hematologist-oncologists. The number of specialists needed is based upon the number of

cancer patients but each city, in order to ensure coverage if one person leaves or goes on vacation, must have at least 2 surgical oncologists, 2 radiation/clinical oncologists, 2 hematologist oncologists, etc.

Table B: Number of oncologists needed for Liberia's most populous city based on 2008 population estimates (<http://citypopulation.de/>) and 2008 Globocan data for new cancer cases (<http://globocan.iarc.fr/>).

	New Cancer Cases	Hematologist Oncologists	Surgical Oncologists	Radiation / Clinical Oncologists	Urologic Oncologists	Gynecologic Oncologist	Pathologists
Liberia	1969	2 [†]	3	10	2 [†]	2	4

[†]At least 2 are needed in each city.

In addition to oncologists, support staff such as onco-pharmacists, pharmacy technicians, oncology nurses and palliative care specialists is also needed. Many cancer patients require hospitalization for diagnosis, treatment and/or complications, therefore an adequate number of oncology beds will be needed. The number of oncology nurses, onco-pharmacists and pharmacy technicians needed is based upon the number of beds occupied daily by cancer patients while the number of palliative care specialists is based on the number of new cancer cases per year (Table C). The oncology nursing staff for each 24-bed oncology unit (operating 24 hours a day, 7 days a week) comprises of one head nurse and a nurse specialist as well as 13 nurses working 8 hour shifts, 5 days per week.

Table C: Number of oncology Units, oncology nursing and pharmacy staff needed for Liberia's most populous city departments based on 2008 population estimates (<http://citypopulation.de/>) and 2008 Globocan data for new cancer cases (<http://globocan.iarc.fr/>).

	New Cancer Cases	Oncology Beds/Day	24 bed Oncology Wards	Onco-Pharmacists	Pharmacy Technicians	Palliative Care Specialists	Oncology Ward Nurses
Liberia	1969	33	2	8	12	4	30

Since many cancer patients require radiotherapy, appropriately equipped facilities will be needed along with radiation oncology staff (Tables D and E). Radiation oncology staff includes radiation therapy technicians, medical physicists, Linac engineers and radiation oncology nurses in addition to radiation/clinical oncologists. The minimum radiation therapy equipment requirements are at least one of each: Linac, brachytherapy unit, CT simulator, treatment planning computer and dosimetry/quality assurance package.

Table D: Radiation Therapy Staff needed for Liberia's most populous city based on 2008 population estimates (<http://citypopulation.de/>) and 2008 Globocan data for new cancer cases (<http://globocan.iarc.fr/>).

	New Cancer Cases	Radiation / Clinical Oncologists	Radiation Therapy Technicians	Medical Physicists	Linac Engineers	Radiation Oncology Nurses
Liberia	1969	10	12	4	2 [†]	4

[†]At least 2 are needed in each city.

Table E: Radiation Therapy Equipment needed for Liberia's most populous city based on 2008 population estimates (<http://citypopulation.de/>) and 2008 Globocan data for new cancer cases (<http://globocan.iarc.fr/>).

	New Cancer Cases	Linac / Co 60 Megavolt	Brachytherapy Units	CT Simulators	Treatment Planning Computers	Dosimetry /QA Packages
Liberia	1969	2	1	1	1	1

NOTE:

1. Guidelines from the IAEA of the United Nations were used to calculate the radiation therapy equipment and staff needed in the setting of a developing Benin. Guidelines from the Oncology Nursing Society were used to calculate the number of nurses needed. Several other specialty societies were also requested to provide guidelines but in most cases there were none, therefore colleagues active in those fields were consulted for estimating the number of staff needed.
2. For countries with less than 5000 new cancer cases and/or countries that have no cities with more than 500 new cases, there will be one national cancer center with resources calculated for the country.